

=> b reg
FILE 'REGISTRY' ENTERED AT 16:40:42 ON 26 APR 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 25 APR 2006 HIGHEST RN 881879-55-6
DICTIONARY FILE UPDATES: 25 APR 2006 HIGHEST RN 881879-55-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.


*
* The CA roles and document type information have been removed from *
* the IDE default display.format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See **HELP SLIMITS** for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> d que sta. l16
L14 STR



VAR G1=OH/10

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED


GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 12

STEREO ATTRIBUTES: NONE
L16 338 SEA FILE=REGISTRY SSS FUL L14

100.0% PROCESSED 23432 ITERATIONS 338 ANSWERS
SEARCH TIME: 00.00.01

=> d que sta 119
 L17 STR



VAR G1=F/8

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 10

STEREO ATTRIBUTES: NONE

L19 60606 SEA FILE=REGISTRY SSS FUL L17

100.0% PROCESSED 152585 ITERATIONS (13 INCOMPLETE) 60606 ANSWERS
SEARCH TIME: 00.00.08

=> d all fhitstr 122 tot
 YOU HAVE REQUESTED DATA FROM FILE 'HCAPLUS' - CONTINUE? (Y)/N:n

=> b hcap
 FILE 'HCAPLUS' ENTERED AT 16:41:21 ON 26 APR 2006
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 26 Apr 2006 VOL 144 ISS 18
 FILE LAST UPDATED: 25 Apr 2006 (20060425/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d all fhitstr 122 tot

L22 ANSWER 1 OF 4 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:811732 HCAPLUS
 DN 143:231382
 ED Entered STN: 18 Aug 2005
 TI Method for producing guanidinium salts.
 IN Ignatyev, Nikolai; Welz-Biermann, Urs; Bissky, German;

Willner, Helge

PA Merck Patent G.m.b.H., Germany
SO PCT Int. Appl., 74 pp.

CODEN: PIXXD2

DT Patent

LA German

IC ICM C07C-0277/08

ICS C07C-0279/04; C07D-0233/48; C07D-0233/28; C07C-0211/15

CC 41-5 (Dyes, Organic Pigments, Fluorescent Brighteners, and Photographic
Sensitizers)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2005075413	A1	20050818	2005WO-EP00389	20050117
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	DE102004005404	A1	20050825	DE 2004-102004005404	20040203

PRAI DE 2004-102004005404 A 20040203

CLASS

	PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
	WO 2005075413	ICM	C07C-0277/08
		ICS	C07C-0279/04; C07D-0233/48; C07D-0233/28; C07C-0211/15
		IPCI	C07C0277-08 [ICM,7]; C07C0279-04 [ICS,7]; C07D0233-48 [ICS,7]; C07D0233-28 [ICS,7]; C07C0211-15 [ICS,7]
		IPCR	C07C0211-00 [I,C]; C07C0211-15 [I,A]; C07C0277-00 [I,C]; C07C0277-08 [I,A]; C07C0279-00 [N,C]; C07C0279-04 [N,A]; C07D0233-00 [I,C]; C07D0233-28 [I,A]; C07D0233-48 [I,A]
	DE102004005404	IPCI	C07C0277-00 [ICM,7]; C07C0279-00 [ICS,7]; C07D0233-02 [ICS,7]; C07C0275-00 [ICS,7]
		IPCR	C07C0211-00 [I,C]; C07C0211-15 [I,A]; C07C0277-00 [I,C]; C07C0277-08 [I,A]; C07C0279-00 [N,C]; C07C0279-04 [N,A]; C07D0233-00 [I,C]; C07D0233-28 [I,A]; C07D0233-48 [I,A]
		ECLA	C07D233/28; C07C211/15; C07C277/08; C07D233/48

AB Guanidinium salts (sulfonates, alkyl or aryl sulfates, hydrogen sulfates, imides, methanides, carboxylates, phosphates, phosphinates, phosphonates, borates, thiocyanates, perchlorates, fluorosilicates or nitrates) useful as ionic liqs., non-aqueous electrolytes and surfactants are manufacture in 2-step method. Thus, 2,2-dichloro-4,5-dihydro-1,3-dimethyl-1H-imidazolium was reacted with bis(pentafluoroethyl)phosphinic acid to give 2-chloro-1,3-dimethylimidazolinium tris(pentafluoroethyl)trifluorophosphate, which was reacted with diethylamine and NH₃ to give 2-amino-1,3-dimethylimidazolium tris(pentafluoroethyl)trifluorophosphate.

ST guanidinium salt manuf; dichlorodihydrodimethylimidazolium bis(pentafluoroethyl)phosphinic acid diethylamine

IT Ionic liquids

Surfactants

(method for producing guanidinium salts)

IT Electrolytes

(non-aqueous; method for producing guanidinium salts)

IT 862564-83-8P

RL: IMF (Industrial manufacture); PREP (Preparation)

(Method for producing guanidinium salts)

IT 45514-40-7P 68897-49-4P 70976-89-5P 73159-62-3P 805247-46-5P
805247-48-7P 805247-58-9P 805247-64-7P 848629-59-4P

862564-74-7P 862564-76-9P 862564-78-1P
 862564-80-5P 862564-82-7P 862564-85-0P 862564-87-2P
 862564-90-7P 862564-93-0P 862564-94-1P 862564-96-3P
 862564-99-6P 862565-00-2P 862565-01-3P 862565-03-5P

RL: IMF (Industrial manufacture); PREP (Preparation)
 (method for producing guanidinium salts)

IT 105142-17-4P 805247-57-8P 805247-63-6P
 862564-71-4P 862564-73-6P 862564-77-0P 862564-84-9P
 862564-86-1P 862564-88-3P 862564-89-4P 862564-91-8P 862564-92-9P
 862564-95-2P 862564-97-4P 862564-98-5P 862565-02-4P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP
 (Preparation); RACT (Reactant or reagent)
 (method for producing guanidinium salts)

IT 76-05-1, Trifluoroacetic acid, reactions 101-83-7, Dicyclohexylamine
 109-89-7, Diethylamine, reactions 111-92-2, Dibutylamine 512-42-5,
 Sodium methylsulfate 540-72-7, Sodium thiocyanate 996-50-9,
 N,N-Diethyltrimethylsilylamine 2926-30-9, Sodium
 trifluoromethanesulfonate 3585-33-9, Lithium dimethylamide 6192-52-5,
 p-Toluenesulfonic acid monohydrate 7601-89-0, Sodium perchlorate
 7664-38-2, Phosphoric acid, reactions 7664-41-7, Ammonia, reactions
 7664-93-9, Sulfuric acid, reactions 7697-37-2, Nitric acid, reactions
 14984-76-0, Potassium, [bis(fluorosulfonyl)amino 32586-82-6, Sodium
 dimethylphosphate 55120-75-7, Calcium trifluoromethanesulfonate
 90076-65-6, Lithium bis(trifluoromethanesulfonyl)imide 103321-11-5
 108790-41-6 261356-49-4 343927-22-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (method for producing guanidinium salts)

RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

- (1) Carpino, L; WO--02094822 A 2002 HCPLUS
- (2) Carpino, L; JOURNAL OF ORGANIC CHEMISTRY 2001, V66(15), P5245 HCPLUS
- (3) Isobe, T; JOURNAL OF ORGANIC CHEMISTRY 1999, V64(19), P6989 HCPLUS
- (4) Kalinowski, H; CHEMISCHE BERICHTE 1979, V112(4), P1153 HCPLUS
- (5) Kantlehner, W; SYNTHESIS 1979, 5, P339 HCPLUS
- (6) Mateus, N; GREEN CHEMISTRY 2003, V5, P347 HCPLUS
- (7) Matsuo, H; JP20-02260966 A CAPLUS 2002:693477 2002 HCPLUS
- (8) Mitsui Chemicals Inc; EP---0982299 A 2000 HCPLUS
- (9) Otto, M; JOURNAL OF THE AMERICAN CHEMICAL SOCIETY 2004, V126(4), P1016
HCPLUS

(10) Przybylski, J; PL---170332 B1 CAPLUS 1997:280903 1996 HCPLUS

(11) Schlama, T; JOURNAL OF ORGANIC CHEMISTRY 1997, V62, P4200 HCPLUS

IT 805247-46-5P

RL: IMF (Industrial manufacture); PREP (Preparation);
 PREP (Preparation)
 (method for producing guanidinium salts)

RN 805247-46-5 HCPLUS


CN Ethanaminium, N-[bis(dimethylamino)methylene]-N-ethyl-,
 trifluorotris(pentafluoroethyl)phosphate(1-) (9CI) (CA INDEX NAME)

CM 1

CRN 429679-87-8


CMF C6 F18 P

CCI CCS



CM 2

CRN 227096-59-5
 CMF C9 H22 N3



L22 ANSWER 2 OF 4 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2004:1059308 HCAPLUS
 DN 142:40429
 ED Entered STN: 10 Dec 2004
 TI Ionic liquids comprising uronium or thiouronium cations, their production and their use
 IN Ignatyev, Nikolai; Welz-Biermann, Urs; Bissky, German;
 Willner, Helge; Kucheryna, Andriy
 PA Merck Patent G.m.b.H., Germany
 SO PCT Int. Appl., 46 pp.
 CODEN: PIXXD2
 DT Patent
 LA German
 IC ICM C07C-0275/70
 ICS C07C-0335/32; C07F-0005/02; C07F-0009/30; C07F-0009/52
 CC 45-4 (Industrial Organic Chemicals, Leather, Fats, and Waxes)
 FAN.CNT 2

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO2004106287	A1	20041209	2004WO-EP05772	20040528
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE--10324891	A1	20041223	2003DE-1024891	20030602
DE--10325050	A1	20041223	2003DE-1025050	20030602
DE--10353758	A1	20050623	2003DE-1053758	20031117
CA--2527785	AA	20041209	2004CA-2527785	20040528
EP--1628952	A1	20060301	2004EP-0739427	20040528
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				

IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK

PRAI 2003DE-1024891 A 20030602
 2003DE-1025050 A 20030602
 2003DE-1053758 A 20031117
 2004WO-EP05772 W 20040528

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2004106287	ICM	C07C-0275/70
	ICS	C07C-0335/32; C07F-0005/02; C07F-0009/30; C07F-0009/52
	IPCI	C07C0275-70 [ICM,7]; C07C0335-32 [ICS,7]; C07F0005-02 [ICS,7]; C07F0009-30 [ICS,7]; C07F0009-52 [ICS,7]
	IPCR	C07F0009-00 [I,C]; C07F0009-28 [I,A]; C07F0009-30 [I,A]
	ECLA	C07F009/28; C07F009/30A1+F
DE--10324891	IPCI	C07C0381-12 [ICM,7]; C07C0335-08 [ICS,7]
	IPCR	C07F0009-00 [I,C]; C07F0009-28 [I,A]; C07F0009-30 [I,A]
	ECLA	C07F009/28; C07F009/30A1+F
DE--10325050	IPCI	C07C0275-00 [ICM,7]; C07C0275-70 [ICS,7]; B01J0031-02 [ICS,7]
	IPCR	C07F0009-00 [I,C]; C07F0009-28 [I,A]; C07F0009-30 [I,A]
	ECLA	C07F009/28; C07F009/30A1+F
DE--10353758	IPCI	C07F0009-30 [ICM,7]; B01J0031-02 [ICS,7]; B01F0017-14 [ICS,7]; H01M0006-16 [ICS,7]; H01M0010-40 [ICS,7]
	IPCR	C07F0009-00 [I,C]; C07F0009-28 [I,A]; C07F0009-30 [I,A]
	ECLA	C07F009/28; C07F009/30A1+F
CA---2527785	IPCI	C07C0275-70 [I,A]; C07C0335-32 [I,A]; C07F0005-02 [I,A]; C07F0009-30 [I,A]; C07F0009-52 [I,A]
	ECLA	C07F009/28; C07F009/30A1+F
EP---1628952	IPCI	C07C0275-70 [ICM,7]; C07C0335-32 [ICS,7]; C07F0005-02 [ICS,7]; C07F0009-30 [ICS,7]; C07F0009-52 [ICS,7]
	ECLA	C07F009/28; C07F009/30A1+F
OS	MARPAT 142:40429	
AB	The invention relates to stable uronium and thiouronium ionic liqs. prepared from urea and thiourea derivs. In an example, N,N,N',N'-tetramethyl-S-ethylisothiouronium triflate (I) was prepared from tetramethylthiourea and Et triflate. The ionic liquid I could then be treated with [(C ₂ F ₅) ₃ PF ₃]H·5H ₂ O to give N,N,N',N'-tetramethyl-S-ethylisothiouronium tris(pentafluoroethyl)trifluorophosphate, another ionic liquid	
ST	ionic liq uronium thiouronium cation prodn	
IT	Ionic liquids (production of ionic liqs. comprising uronium or thiouronium cations)	
IT	805247-86-3P 805247-87-4P 805247-90-9P 807612-90-4P 807612-91-5P 807612-92-6P RL: IMF (Industrial manufacture); NUU (Other use, unclassified); PREP (Preparation); USES (Uses) (production of ionic liqs. comprising uronium or thiouronium cations)	
IT	805247-84-1P 805247-88-5P 805247-89-6P RL: IMF (Industrial manufacture); NUU (Other use, unclassified); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent); USES (Uses) (production of ionic liqs. comprising uronium or thiouronium cations)	
IT	67-56-1, Methanol, reactions '333-27-7, Methyl triflate 368-39-8, Triethyloxonium tetrafluoroborate 425-75-2, Ethyl triflate 632-22-4, Tetramethylurea 2782-91-4, Tetramethylthiourea 6226-25-1, 2,2,2-Trifluoroethyl triflate 58431-32-6, Tris(pentafluoroethyl)phosphine oxide 482635-70-1 RL: RCT (Reactant); RACT (Reactant or reagent) (starting material; production of ionic liqs. comprising uronium or thiouronium cations)	
RE.CNT	13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD	
RE	<ol style="list-style-type: none"> (1) Anon; CAN J CHEM 1983, V61, P235 (2) Anon; J GEN CHEM USSR 1988, V58(9), P1930 (3) Anon; J ORG CHEM 1995, V60(8), P2330 (4) Anon; ORGANIC LETTERS 2003, V5(10), P1633 (5) Anon; TETRAHEDRON 1995, V51(3), P935 (6) Echner, H; PROCEEDINGS OF THE AMERICAN PEPTIDE SYMPOSIUM, 15TH, CAPLUS 	

Accession No 1999:396527 1999, P283 HCPLUS
 (7) Feith, B; CHEMISCHE BERICHTE; CAPLUS Accession No 1987:32793 1986, V119(11), P3276 HCPLUS
 (8) Feith, B; LIEBIGS ANNALEN DER CHEMIE; CAPLUS Accession No 1987:83983 1986, 12, P2123 HCPLUS
 (9) Habermann, J; JOURNAL FUER PRAKТИSCHE CHEMIE/CHEMIKER-ZEITUNG; CAPLUS Accession No 1998:239887 1998, V340(3), P233 HCPLUS
 (10) Kantlehner, W; LIEBIGS ANNALEN DER CHEMIE 1984, V108, P108
 (11) Kunz Horst Prof Dr; DE--19648125 A 1998 HCPLUS
 (12) Neibecker, D; INORGANIC CHEMISTRY 1980, V19(12), P3725 HCPLUS
 (13) Neibecker, D; TETRAHEDRON LETTERS 1977, 27, P2351 HCPLUS

IT 805247-90-9P
 RL: IMF (Industrial manufacture); NUU (Other use, unclassified);
 PREP (Preparation); USES (Uses)
 (production of ionic liqs. comprising uronium or thiouronium cations)


RN 805247-90-9 HCPLUS

CN Methanaminium, N-[(dimethylamino)methoxymethylene]-N-methyl-, salt with bis(pentafluoroethyl)phosphinic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 613232-20-5


CMF C4 F10 O2 P



CM 2

CRN 44804-03-7

CMF C6 H15 N2 O



L22 ANSWER 3 OF 4 HCPLUS COPYRIGHT 2006 ACS on STN

AN 2003:837097 HCPLUS

DN 139:323660

ED Entered STN: 24 Oct 2003

TI Process for production of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates and perfluoroalkylphosphonates by treatment of perfluoroalkylphosphoranes with bases

IN Ignatyev, Nikolai; Weiden, Michael; Welz-Biermann, Urs; Heider, Udo; Sartori, Peter; Kucheryna, Andriy; Willner, Helge

PA Merck Patent G.m.b.H., Germany

SO PCT Int. Appl., 49 pp.

CODEN: PIXXD2

DT Patent

LA German

IC ICM C07F-0009/30

ICS C07F-0009/38; C07C-0017/35; C07C-0019/08; C07C-0211/62; C07F-0009/54; C07D-0233/58

CC 29-7 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 23, 46

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO2003087111	A1	20031023	2003WO-EP02744	20030317 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE--10220547	A1	20031106	2002DE-1020547	20020508 <--
CA---2482657	AA	20031023	2003CA-2482657	20030317 <--
AU2003222764	A1	20031027	2003AU-0222764	20030317 <--
EP---1495036	A1	20050112	2003EP-0718689	20030317 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR2003009221	A	20050209	2003BR-0009221	20030317 <--
CN---1646545	A	20050727	2003CN-0808435	20030317 <--
JP2005522511	T2	20050728	2003JP-0584067	20030317 <--
US2005222411	A1	20051006	2004US-0511171	20041014 <--
ZA2004009161	A	20050531	2004ZA-0009161	20041111 <--
PRAI 2002DE-1016995	A	20020416		
2002DE-1020547	A	20020508		
2003WO-EP02744	W	20030317		

CLASS

PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2003087111	ICM	C07F-0009/30
	ICS	C07F-0009/38; C07C-0017/35; C07C-0019/08; C07C-0211/62; C07F-0009/54; C07D-0233/58
	IPCI	C07F0009-30 [ICM, 7]; C07F0009-38 [ICS, 7]; C07C0017-35 [ICS, 7]; C07C0019-08 [ICS, 7]; C07C0211-62 [ICS, 7]; C07F0009-54 [ICS, 7]; C07D0233-58 [ICS, 7]
	IPCR	B01J0031-02 [I, A]; B01J0031-02 [I, C]; C07C0017-00 [I, C]; C07C0017-361 [I, A]; C07C0017-38 [I, A]; C07C0211-00 [I, C]; C07C0211-63 [I, A]; C07D0233-00 [I, C]; C07D0233-54 [I, A]; C07D0521-00 [I, A]; C07D0521-00 [I, C]; C07F0009-00 [I, C]; C07F0009-30 [I, A]; C07F0009-38 [I, A]; C07F0009-54 [I, A]
	ECLA	B01F017/00R; B01J031/02D; B01J031/02E2; B01J031/02E4; C07C017/361+19/08; C07C017/38; C07C211/63; C07D233/54C; C07D521/00B1C3; C07F009/30A1+F; C07F009/38A1+F; C07F009/54A1+D
DE--10220547	IPCI	C07F0009-38 [ICM, 7]; C07F0009-30 [ICS, 7]; C07C0017-00 [ICS, 7]; C07C0019-08 [ICS, 7]; B01J0031-02 [ICS, 7]; B01F0017-14 [ICS, 7]; C07D0213-02 [ICS, 7]; C07D0237-06 [ICS, 7]; C07D0239-24 [ICS, 7]; C07D0241-10 [ICS, 7]; C07D0233-54 [ICS, 7]; C07D0277-20 [ICS, 7]
	IPCR	B01J0031-02 [I, A]; B01J0031-02 [I, C]; C07C0017-00 [I, C]; C07C0017-361 [I, A]; C07C0017-38 [I, A]; C07C0211-00 [I, C]; C07C0211-63 [I, A]; C07D0233-00 [I, C]; C07D0233-54 [I, A]; C07D0521-00 [I, A]; C07F0009-00 [I, C]; C07F0009-30 [I, A]; C07F0009-38 [I, A]; C07F0009-54 [I, A]
	ECLA	B01J031/02D; B01J031/02E2; B01J031/02E4; C07C017/361+19/08; C07C017/38; C07C211/63; C07D233/54C; C07D521/00B1C3; C07F009/30A1+F; C07F009/38A1+F; C07F009/54A1+D
CA---2482657	IPCI	C07F0009-30 [ICM, 7]; C07C0019-08 [ICS, 7]; C07C0017-35 [ICS, 7]; C07F0009-38 [ICS, 7]; C07F0009-54 [ICS, 7]; C07D0233-58 [ICS, 7]; C07C0211-62 [ICS, 7]
	IPCR	B01J0031-02 [I, A]; B01J0031-02 [I, C]; C07C0017-00 [I, C]; C07C0017-361 [I, A]; C07C0017-38 [I, A];

C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00
 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A];
 C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30
 [I,A]; C07F0009-38 [I,A]; C07F0009-54 [I,A]
ECLA B01F017/00R; B01J031/02D; B01J031/02E2; B01J031/02E4;
 C07C017/361+19/08; C07C017/38; C07C211/63; C07D233/54C;
 C07D521/00B1C3; C07F009/30A1+F; C07F009/38A1+F;
 C07F009/54A1+D
AU2003222764 **IPCI** C07F0009-30 [ICM,7]; C07C0211-62 [ICS,7]; C07F0009-54
 [ICS,7]; C07D0233-58 [ICS,7]; C07F0009-38 [ICS,7];
 C07C0017-35 [ICS,7]; C07C0019-08 [ICS,7]
IPCR B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0017-00
 [I,C]; C07C0017-361 [I,A]; C07C0017-38 [I,A];
 C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00
 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A];
 C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30
 [I,A]; C07F0009-38 [I,A]; C07F0009-54 [I,A]
EP---1495036 **IPCI** C07F0009-30 [ICM,7]; C07F0009-38 [ICS,7]; C07C0017-35
 [ICS,7]; C07C0019-08 [ICS,7]; C07C0211-62 [ICS,7];
 C07F0009-54 [ICS,7]; C07D0233-58 [ICS,7]
IPCR B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0017-00
 [I,C]; C07C0017-361 [I,A]; C07C0017-38 [I,A];
 C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00
 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A];
 C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30
 [I,A]; C07F0009-38 [I,A]; C07F0009-54 [I,A]
ECLA B01F017/00R; B01J031/02D; B01J031/02E2; B01J031/02E4;
 C07C017/361+19/08; C07C017/38; C07C211/63; C07D233/54C;
 C07D521/00B1C3; C07F009/30A1+F; C07F009/38A1+F;
 C07F009/54A1+D
BR2003009221 **IPCI** C07F0009-30 [ICM,7]; C07F0009-38 [ICS,7]; C07C0017-35
 [ICS,7]; C07C0019-08 [ICS,7]; C07C0211-62 [ICS,7];
 C07F0009-54 [ICS,7]; C07D0233-58 [ICS,7]
IPCR B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0017-00
 [I,C]; C07C0017-361 [I,A]; C07C0017-38 [I,A];
 C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00
 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A];
 C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30
 [I,A]; C07F0009-38 [I,A]; C07F0009-54 [I,A]
ECLA B01F017/00R; B01J031/02D; B01J031/02E2; B01J031/02E4;
 C07C017/361+19/08; C07C017/38; C07C211/63; C07D233/54C;
 C07D521/00B1C3; C07F009/30A1+F; C07F009/38A1+F;
 C07F009/54A1+D
CN---1646545 **IPCI** C07F0009-30 [ICM,7]; C07F0009-38 [ICS,7]; C07C0017-35
 [ICS,7]; C07C0019-08 [ICS,7]; C07C0211-62 [ICS,7];
 C07F0009-54 [ICS,7]; C07D0233-58 [ICS,7]
JP2005522511 **IPCI** C07C0017-361 [ICM,7]; C07C0019-08 [ICS,7]; C07F0009-30
 [ICS,7]; C07F0009-38 [ICS,7]; C09K0003-00 [ICS,7]
IPCR B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0017-00
 [I,C]; C07C0017-361 [I,A]; C07C0017-38 [I,A];
 C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00
 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A];
 C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30
 [I,A]; C07F0009-38 [I,A]; C07F0009-54 [I,A]
FTERM 4H006/AA02; 4H006/AC13; 4H006/BB10; 4H006/BB11;
 4H006/BB14; 4H006/BB15; 4H006/BB20; 4H006/BB21;
 4H006/BB22; 4H006/BB31; 4H006/BE10; 4H006/BE11;
 4H050/AA02; 4H050/AA03; 4H050/AB40; 4H050/AB68;
 4H050/BB10; 4H050/BB11; 4H050/BB14; 4H050/BB15;
 4H050/BB20; 4H050/BB21; 4H050/BB22; 4H050/BB31;
 4H050/BE10; 4H050/BE11; 4H050/WA15; 4H050/WA16;
 4H050/WA23; 4H050/WA24
US2005222411 **IPCI** C07F0009-28 [ICM,7]
IPCR B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0017-00
 [I,C]; C07C0017-361 [I,A]; C07C0017-38 [I,A];
 C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00

[I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A];
 C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30
 [I,A]; C07F0009-38 [I,A]; C07F0009-54 [I,A]
 NCL 544/224.000
 ECLA B01F017/00R; B01J031/02D; B01J031/02E2; B01J031/02E4;
 C07C017/361+19/08; C07C017/38; C07C211/63; C07D233/54C;
 C07D521/00B1C3; C07F009/30A1+F; C07F009/38A1+F;
 C07F009/54A1+D
 ZA2004009161 IPCI C07F [ICM,7]; C07C [ICS,7]; C07D [ICS,7]
 ECLA B01J031/02D; B01J031/02E2; B01J031/02E4;
 C07C017/361+19/08; C07C017/38; C07C211/63; C07D233/54C;
 C07D521/00B1C3; C07F009/30A1+F; C07F009/38A1+F;
 C07F009/54A1+D
 OS CASREACT 139:323660; MARPAT 139:323660
 AB Monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates, and
 perfluoroalkylphosphonates, useful as ionic liqs., tensides, or
 phase-transfer catalysts (no data), are prepared by treating at least 1
 perfluoroalkylphosphorane ($C_nF_{2n+1}mPF_5-m$ ($1 \leq n \leq 8$, preferably
 $1 \leq n \leq 4$; $m = 1-3$) with at least 1 base in a suitable reaction
 medium, preferably H_2O or a mixture of H_2O with ≥ 1 organic solvent such
 as alcs., preferably $MeOH$, $EtOH$ or iso- $PrOH$, or a mixture of at least 2 of
 these alcs. More specifically, monohydro(perfluoro)alkanes are prepared by
 treating at least 1 perfluoroalkylphosphorane with at least 1 base or
 organometallic compound in a suitable medium; bases may be organic or inorg.,
 preferably alkali metal hydroxides such as $LiOH$, $LiOH \cdot H_2O$, $NaOH$ or KOH or
 alkaline earth hydroxides such as $Ba(OH)_2$, as $Ba(OH)_2 \cdot 8H_2O$ or $Ca(OH)_2$.
 Bis(perfluoroalkyl)phosphinates and perfluoroalkylphosphonates are prepared
 by reaction of ≥ 1 perfluoroalkylphosphorane with ≥ 1 base in
 a suitable medium so that in addition to the monohydro(perfluoro)alkanes the
 phosphinates and phosphonates are prepared either directly or after
 isolation by salt formation or by subsequent treatment with an acid,
 preferably H_2SO_4 , to give the corresponding phosphinic or phosphonic acids
 followed by neutralization, preferably with organic bases such as ammonium,
 phosphonium, sulfonium, pyridinium, pyridazinium, pyrimidinium,
 pyrazinium, imidazolium, pyrazolium, thiazolium, oxazolium or triazolium
 salts. In an example, treating 59.9 mmol $(C_2F_5)_3PF_2$ with 185.4 mmol KOH
 in $330 \text{ cm}^3 H_2O$ gave 92.8% gaseous C_2F_5H , along with, after workup, 93.2%
 $(C_2F_5)_2P(O)OK$.
 ST perfluoroalkane phosphinate phosphonate perfluoroalkyl prep process;
 phosphorane perfluoroalkyl reaction base process
 IT Alkanes, preparation
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (fluoro, perfluoroalkanes; preparation of monohydro(perfluoro)alkanes,
 bis(perfluoroalkyl)phosphinates and perfluoroalkylphosphonates by
 treatment of perfluoroalkylphosphoranes with bases)
 IT Phosphoranes
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (perfluoroalkyl; preparation of monohydro(perfluoro)alkanes,
 bis(perfluoroalkyl)phosphinates and perfluoroalkylphosphonates by
 treatment of perfluoroalkylphosphoranes with bases)
 IT Ionic liquids
 Phase transfer catalysts
 Surfactants
 (preparation of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates
 and perfluoroalkylphosphonates by treatment of
 perfluoroalkylphosphoranes with bases)
 IT Alkali metal hydroxides
 Alkaline earth hydroxides
 Amines, reactions
 Bases, reactions
 Onium compounds
 Organometallic compounds
 Phosphines
 RL: RCT (Reactant); RGT (Reagent); RACT (Reactant or reagent)
 (preparation of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates
 and perfluoroalkylphosphonates by treatment of

perfluoroalkylphosphoranes with bases)

IT Alcohols, uses
 RL: NUU (Other use, unclassified); USES (Uses)
 (solvents; preparation of monohydro(perfluoro)alkanes,
 bis(perfluoroalkyl)phosphinates and perfluoroalkylphosphonates by
 treatment of perfluoroalkylphosphoranes with bases)

IT 65039-09-0, 1-Ethyl-3-methylimidazolium chloride 91543-32-7,
 Difluorotris(pentafluoroethyl)phosphorane 91543-33-8,
 Difluorotris(n-heptafluoropropyl)phosphorane 91543-34-9,
 Difluorotris(nonafluorobutyl)phosphorane 115421-80-2,
 Trifluorobis(nonafluorobutyl)phosphorane
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates
 and perfluoroalkylphosphonates by treatment of
 perfluoroalkylphosphoranes with bases)

IT 77-98-5, Tetraethylammonium hydroxide 1305-62-0, Calcium hydroxide,
 reactions 1310-58-3, Potassium hydroxide, reactions 1310-65-2, Lithium
 hydroxide 1310-66-3, Lithium hydroxide, monohydrate 1310-73-2, Sodium
 hydroxide, reactions 7664-93-9, Sulfuric acid, reactions 12230-71-6,
 Barium hydroxide octahydrate 14518-69-5, Tetrabutylphosphonium hydroxide
 17194-00-2, Barium hydroxide
 RL: RCT (Reactant); RGT (Reagent); RACT (Reactant or reagent)
 (preparation of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates
 and perfluoroalkylphosphonates by treatment of
 perfluoroalkylphosphoranes with bases)

IT 103305-01-7P 613232-23-8P 615284-57-6P
 615284-58-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates
 and perfluoroalkylphosphonates by treatment of
 perfluoroalkylphosphoranes with bases)

IT 354-33-6P, Pentafluoroethane 375-17-7P, 1,1,1,2,2,3,3,4,4-
 Nonafluorobutane 103321-11-5P 277750-74-0P
 615284-49-6P 615284-50-9P 615284-51-0P
 615284-53-2P 615284-55-4P 615284-56-5P
 615284-60-1P 615284-61-2P 615284-62-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates
 and perfluoroalkylphosphonates by treatment of
 perfluoroalkylphosphoranes with bases)

IT 64-17-5, Ethanol, uses 67-56-1, Methanol, uses 67-63-0, Isopropanol,
 uses 7732-18-5, Water, uses
 RL: NUU (Other use, unclassified); USES (Uses)
 (solvent; preparation of monohydro(perfluoro)alkanes,
 bis(perfluoroalkyl)phosphinates and perfluoroalkylphosphonates by
 treatment of perfluoroalkylphosphoranes with bases)


RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE

(1) Bergman, E; JOURNAL OF ORGANIC CHEMISTRY 1958, V23(3), P476
 (2) Gosling, K; JOURNAL OF THE CHEMICAL SOCIETY SECTION A: INORGANIC,
 PHYSICAL, THEORETICAL 1968, 8, P1909 HCPLUS
 (3) Haszeldine, R; JOURNAL OF THE CHEMICAL SOCIETY 1953, P3761 HCPLUS
 (4) Kovaleva, T; JOURNAL OF GENERAL CHEMISTRY USSR 1990, V59(11), P2245
 (5) Mahmood, T; INORGANIC CHEMISTRY 1986, V25(18), P3128 HCPLUS
 (6) Pavlenko, N; JOURNAL OF GENERAL CHEMISTRY USSR 1989, V59(3), P474

IT 91543-32-7, Difluorotris(pentafluoroethyl)phosphorane
 RL: SPN (Synthetic preparation); PREP (Preparation);
 PREP (Preparation)
 (preparation of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates
 and perfluoroalkylphosphonates by treatment of
 perfluoroalkylphosphoranes with bases)

RN 91543-32-7 HCPLUS
 CN Phosphorane, difluorotris(pentafluoroethyl)- (9CI) (CA INDEX NAME)



L22 ANSWER 4 OF 4 HCAPLUS COPYRIGHT 2006 ACS on STN
 AN 2003:837096 HCAPLUS
 DN 139:323659
 ED Entered STN: 24 Oct 2003
 TI Simplified process for the production of bis(perfluoroalkyl)phosphinic acids and their salts by reaction of difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with hydrogen fluoride and subsequent heating
 IN Welz-Biermann, Urs; Ignatyev, Nikolai; Weiden, Michael; Heider, Udo; Kucheryna, Andriy; Willner, Helge; Sartori, Peter
 PA Merck Patent G.m.b.H., Germany
 SO PCT Int. Appl., 35 pp.
 CODEN: PIXXD2
 DT Patent
 LA German
 IC ICM C07F-0009/30
 ICS C07C-0211/62; C07F-0009/54; C07D-0233/58
 CC 29-7 (Organometallic and Organometalloidal Compounds)
 Section cross-reference(s): 46

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2003087110	A1	20031023	2003WO-EP02740	20030317
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	DE--10216997	A1	20031030	2002DE-1016997	20020416
	CA--2482656	AA	20031023	2003CA-2482656	20030317
	AU2003218774	A1	20031027	2003AU-0218774	20030317
	EP---1495035	A1	20050112	2003EP-0712030	20030317
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	BR2003009222	A	20050209	2003BR-0009222	20030317
	CN---1646546	A	20050727	2003CN-0808491	20030317
	JP2005522510	T2	20050728	2003JP-0584066	20030317
	US2005256334	A1	20051117	2004US-0511157	20041014
	ZA2004009160	A	20050531	2004ZA-0009160	20041111
PRAI	2002DE-1016997	A	20020416		
	2003WO-EP02740	W	20030317		

CLASS

	PATENT NO.	CLASS	PATENT FAMILY CLASSIFICATION CODES
WO 2003087110	ICM	C07F-0009/30	
	ICS	C07C-0211/62; C07F-0009/54; C07D-0233/58	
	IPCI	C07F0009-30 [ICM, 7]; C07C0211-62 [ICS, 7]; C07F0009-54 [ICS, 7]; C07D0233-58 [ICS, 7]	
	IPCR	B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00 [I,C];	

		C07D0233-54 [I,A]; C07D0521-00 [I,A]; C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30 [I,A]; C07F0009-54 [I,A]
	ECLA	B01F017/00R; B01J031/02D; B01J031/02E; C07C211/63; C07D233/54C; C07D521/00B1C3; C07F009/30A1+F; C07F009/54A7
DE--10216997	IPCI	C07F0009-30 [ICM,7]; B01J0031-02 [ICS,7]; B01F0017-14 [ICS,7]; C11D0003-36 [ICS,7]
	IPCR	B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A]; C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30 [I,A]; C07F0009-54 [I,A]
	ECLA	B01F017/00R; B01J031/02D; B01J031/02E; C07C211/63; C07D233/54C; C07D521/00B1C3; C07F009/30A1+F; C07F009/54A7
CA---2482656	IPCI	C07F0009-30 [ICM,7]; C07F0009-54 [ICS,7]; C07D0233-58 [ICS,7]; C07C0211-62 [ICS,7]
	IPCR	B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A]; C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30 [I,A]; C07F0009-54 [I,A]
	ECLA	B01F017/00R; B01J031/02D; B01J031/02E; C07C211/63; C07D233/54C; C07D521/00B1C3; C07F009/30A1+F; C07F009/54A7
AU2003218774	IPCI	C07F0009-30 [ICM,7]; C07C0211-62 [ICS,7]; C07F0009-54 [ICS,7]; C07D0233-58 [ICS,7]
	IPCR	B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A]; C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30 [I,A]; C07F0009-54 [I,A]
EP---1495035	IPCI	C07F0009-30 [ICM,7]; C07C0211-62 [ICS,7]; C07F0009-54 [ICS,7]; C07D0233-58 [ICS,7]
	IPCR	B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A]; C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30 [I,A]; C07F0009-54 [I,A]
	ECLA	B01F017/00R; B01J031/02D; B01J031/02E; C07C211/63; C07D233/54C; C07D521/00B1C3; C07F009/30A1+F; C07F009/54A7
BR2003009222	IPCI	C07F0009-30 [ICM,7]; C07C0211-62 [ICS,7]; C07F0009-54 [ICS,7]; C07D0233-58 [ICS,7]
	IPCR	B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A]; C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30 [I,A]; C07F0009-54 [I,A]
	ECLA	B01F017/00R; B01J031/02D; B01J031/02E; C07C211/63; C07D233/54C; C07D521/00B1C3; C07F009/30A1+F; C07F009/54A7
CN---1646546	IPCI	C07F0009-30 [ICM,7]; C07C0211-62 [ICS,7]; C07F0009-54 [ICS,7]; C07D0233-58 [ICS,7]
JP2005522510	IPCI	C07F0009-34 [ICM,7]; B01J0031-02 [ICS,7]; C07C0211-07 [ICS,7]; C07C0211-12 [ICS,7]; C07C0211-63 [ICS,7]
	IPCR	B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0211-00 [I,C]; C07C0211-63 [I,A]; C07D0233-00 [I,C]; C07D0233-54 [I,A]; C07D0521-00 [I,A]; C07D0521-00 [I,C]; C07F0009-00 [I,C]; C07F0009-30 [I,A]; C07F0009-54 [I,A]
	FTERM	4G069/AA06; 4G069/AA08; 4G069/BA21A; 4G069/BA21C; 4G069/BA47C; 4G069/BA49; 4G069/BB08C; 4G069/BB16C; 4G069/BC03C; 4G069/BD01C; 4G069/BD15C; 4G069/BE14C; 4G069/BE15C; 4G069/BE17C; 4G069/BE25C; 4G069/BE29A;

4G069/BE34A; 4G069/BE34C; 4G069/BE38C; 4G069/BE41C;
 4G069/BE46C; 4G069/FA01; 4G069/FB29; 4G069/FB54;
 4G069/FC02; 4G069/FC07; 4G069/FC10; 4H006/AA01;
 4H006/AB40; 4H006/AB68; 4H050/AA02; 4H050/AA03;
 4H050/AB40; 4H050/AB68

US2005256334 IPCI C07F0009-22 [ICM, 7]
 IPCR B01J0031-02 [I,A]; B01J0031-02 [I,C]; C07C0211-00
 [I,C]; C07C0211-63 [I,A]; C07D0233-00 [I,C];
 C07D0233-54 [I,A]; C07D0521-00 [I,A]; C07D0521-00
 [I,C]; C07F0009-00 [I,C]; C07F0009-30 [I,A];
 C07F0009-54 [I,A]
 NCL 562/008.000
 ECLA B01F017/00R; B01J031/02D; B01J031/02E; C07C211/63;
 C07D233/54C; C07D521/00B1C3; C07F009/30A1+F;
 C07F009/54A7

ZA2004009160 IPCI C07F [ICM, 7]; C07C [ICS, 7]; C07D [ICS, 7]
 ECLA B01F017/00R; B01J031/02D; B01J031/02E; C07C211/63;
 C07D233/54C; C07D521/00B1C3; C07F009/30A1+F;
 C07F009/54A7

OS CASREACT 139:323659; MARPAT 139:323659

AB Bis(perfluoroalkyl)phosphinic acids are prepared by reaction of at least one difluorotris(perfluoroalkyl)phosphorane or at least one trifluorobis(perfluoroalkyl)phosphorane ($C_nF_{2n+1}mPF_5-m$ ($1 \leq n \leq 8$, preferably $1 \leq n \leq 4$; $m = 2, 3$) with HF in a suitable reaction medium, preferably water or a water-based mixture, and then the reaction mixture is heated at room temperature-150°, preferably at 135-140° for 18-22 h. Salts of the bis(perfluoroalkyl)phosphinic acids, preferably partially or peralkylated ammonium, phosphonium, sulfonium, or (un)substituted pyridinium, pyridazinium, pyrimidinium, pyrazinium, imidazolium, pyrazolium, thiazolium, oxazolium and triazolium salts, are prepared by subsequent neutralization in presence of bases, preferably hydroxides, oxides, hydrides, amides, carbonates, phosphines or amines, and are useful as ionic liqs. or as phase-transfer catalysts or as tensides (no data). In an example, a mixture of 58.6 mmol HF as a 40% by weight solution in H2O and 3.53 g H2O (294 mmol H2O total) is prepared and cooled with an ice bath before being treated with 58.7 mmol (C2F5)3PF2 and stirred 3 min, whereupon the mixture is stirred 15 min at room temperature, then heated at 135-140° at reflux for 14 h, treated with addnl. 4.83 g H2O and heated 6 h at reflux to afford after workup 86.5% (C2F5)2P(O)OH; salts of the latter are prepared in nearly quant. yields by treatment with, e.g., Et4NOH, K2CO3 or 1,6-diaminohexane.

ST phosphinic acid salt perfluoroalkyl prep process; phosphorane fluoro perfluoroalkyl reaction hydrogen fluoride process

IT Phosphorus acids
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (bis(perfluoroalkyl)phosphinic acids; preparation of bis(perfluoroalkyl)phosphinic acids by reaction of difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with HF followed by heating, with subsequent conversion to salts)

IT Phosphoranes
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (perfluoroalkyl-fluoro; preparation of bis(perfluoroalkyl)phosphinic acids by reaction of difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with HF followed by heating, with subsequent conversion to salts)

IT Ionic liquids
 Phase transfer catalysts
 Surfactants
 (preparation of bis(perfluoroalkyl)phosphinic acids by reaction of difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with HF followed by heating, with subsequent conversion to salts)

IT Amines, reactions
 Bases, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of bis(perfluoroalkyl)phosphinic acids by reaction of difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with HF

followed by heating, with subsequent conversion to salts)

IT 102-86-3, Tri-n-hexylamine 124-09-4, 1,6-Diaminohexane, reactions
1100-88-5, Benzyl(triphenyl)phosphonium chloride 7664-39-3, Hydrogen
fluoride, reactions 79917-90-1, 1-Butyl-3-methylimidazolium chloride
91543-32-7 91543-33-8 91543-34-9
115421-80-2
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of bis(perfluoroalkyl)phosphinic acids by reaction of
difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with HF
followed by heating, with subsequent conversion to salts)


IT 52299-25-9P 103321-11-5P 613232-23-8P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP
(Preparation); RACT (Reactant or reagent)
(preparation of bis(perfluoroalkyl)phosphinic acids by reaction of
difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with HF
followed by heating, with subsequent conversion to salts)

IT 613232-21-6P 613232-25-0P 613232-26-1P
613232-27-2P 613232-28-3P 613232-29-4P
613232-30-7P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of bis(perfluoroalkyl)phosphinic acids by reaction of
difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with HF
followed by heating, with subsequent conversion to salts)

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE
(1) Mahmood, T; INORGANIC CHEMISTRY 1988, V27(17), P2913 HCPLUS
(2) Merck Patent GmbH; WO--03002579 A 2003 HCPLUS
(3) Pavlenko, N; JOURNAL OF GENERAL CHEMISTRY USSR 1989, V59(3), P474
(4) Ya, S; SU---498311 T 1976 HCPLUS
(5) Yagupol, S; JOURNAL OF GENERAL CHEMISTRY OF THE USSR, PART 1 1984, V54(4),
P692

IT 91543-32-7
RL: SPN (Synthetic preparation); PREP (Preparation);
PREP (Preparation)
(preparation of bis(perfluoroalkyl)phosphinic acids by reaction of
difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with HF
followed by heating, with subsequent conversion to salts)

RN 91543-32-7 HCPLUS
CN Phosphorane, difluorotris(pentafluoroethyl)- (9CI) (CA INDEX NAME)



=> d all hitstr 123 tot

L23 ANSWER 1 OF 2 HCPLUS COPYRIGHT 2006 ACS on STN
AN 1989:192925 HCPLUS
DN 110:192925
ED Entered STN: 26 May 1989
TI Phosphorus derivatives of perfluoropropene
AU Von Allwoerden, Udo; Roeschenthaler, Gerd Volker
CS Fachbereich 2, Univ. Bremen, Bremen, D-2800/33, Fed. Rep. Ger.
SO Chemiker-Zeitung (1988), 112(2), 69-76
CODEN: CMKZAT; ISSN: 0009-2894
DT Journal
LA German
CC 29-7 (Organometallic and Organometalloidal Compounds)

OS CASREACT 110:192925

AB Secondary phosphines R12PH (R1 = Me, Et) and perfluoropropene react to give 1,2,3,3,3-pentafluorophosphines which are oxidized by SF4 (for R1 = Me), (F3C)2CO (for R1 = Me) and Cl2 (for R1 = Et) to form phosphoranes. No reaction takes place at the double bond. The silyl phosphites (R2O)2POSiMe3 (R2 = SiMe3, Et) and perfluoropropene yield 1,2,3,3,3-pentafluoropropenylphosphonates (losing fluorotrimethylsilane) precursors for the free phosphonic acid (for R2 = SiMe3), the phosphonic acid dichloride (for R2 = SiMe3) and the 2-amino derivs. (for R2 = Et). Tertiary phosphines MenPh3-n formally insert into the 1-F-C bond to furnish monofluorophosphoranes whose thermal stability increase with increasing n. Whereas a phosphorane is also obtained in the case of triethylphosphine, tri-tert-butylphosphine yields (Me3C)2PCF:CF3. The pyrolysis of Me3P(F)CF:CF3, a versatile nonoxidizing fluorinating agent, gives 1,2,3,3,3-pentafluoropropene in good yield.

ST phosphine secondary tertiary reaction perfluoropropene; fluorophosphine; fluoropropenylphosphonate; phosphorus perfluoropropene deriv

IT 7704-34-9, Sulfur, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (attempted reaction of, with pentafluoropropenyltrimethylphosphine)

IT 67-68-5, Dimethylsulfoxide, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (attempted reaction of, with pentafluoropropenyltrimethylphosphine)

IT 661-42-7P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, by chlorination of pentapropylphenyldimethylphosphorane)

IT 420-56-4P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, by pyrolysis of pentafluoropropenylphosphonic acid bis(trimethylsilyl)ester)

IT 753-70-8P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, by pyrolysis of pentafluoropropenyltrimethylphosphorane in presence of hexane)

IT 97994-17-7P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, by reaction of dimethylphosphine with perfluoropropene)

IT 25940-85-6P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, by reaction of dinethylphenylphosphine with perfluoropropene)

IT 120154-70-3P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, by reaction of tri-tert-butylphosphine with perfluoropropene)

IT 7783-60-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (oxidation by, of phosphoranes)

IT 120154-68-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and attempted reaction of, with perfluoropropene)

IT 120154-65-6P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and chlorination of)

IT 104824-57-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and reaction of, with boron trifluoride)

IT 57048-51-8P 97994-15-5P 97994-16-6P 120154-74-7P 120154-75-8P
 120154-76-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and reactions of)

IT 5595-10-8P 7647-19-0DP, reaction products with

(Z)-1,2,3,3,3-pentafluoropropenylphosphonic acid bis(trimethylsilyl) ester
 14003-57-7P 14003-62-4P 56577-88-9P 97994-16-6DP, reaction products
 with pentafluorophosphorane 104824-56-8P 105194-52-3P 120154-64-5P
 120154-66-7P 120154-67-8P 120154-69-0P 120154-71-4P 120154-72-5P
 120154-73-6P 120154-77-0P 120154-78-1P 120154-79-2P
 120154-80-5P 120154-81-6P 120154-82-7P 120154-83-8P 120154-84-9P
 120154-85-0P 121257-98-5P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

IT 25512-62-3, Cyclohexenone

RL: PROC (Process)

(pyrolysis of pentafluoropropenyltrimethylphosphorane in presence of)

IT 124-40-3, Dimethylamine, reactions 554-70-1, Triethylphosphine
 594-09-2, Trimethylphosphine 627-49-6, Diethylphosphine 672-66-2,
 Dimethylphenylphosphine 676-59-5, Dimethylphosphine 1486-28-8,
 Diphenylmethylphosphine 1795-31-9, Tris(trimethylsilyl)phosphite
 13716-12-6, Tri-tert-butylphosphine 13716-45-5

RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with perfluoropropene)

IT 116-15-4, Perfluoropropene

RL: RCT (Reactant); RACT (Reactant or reagent)


(reaction of, with secondary and tertiary phosphines)

IT 7647-19-0DP, reaction products with (Z)-1,2,3,3,3-pentafluoropropenylphosphonic acid bis(trimethylsilyl) ester
 120154-77-0P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

RN 7647-19-0 HCPLUS


CN Phosphorane, pentafluoro- (9CI) (CA INDEX NAME)



RN 120154-77-0 HCPLUS

CN Phosphonic acid, (1,2,3,3,3-pentafluoro-1-propenyl)-, (Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



L23 ANSWER 2 OF 2 HCPLUS COPYRIGHT 2006 ACS on STN

AN 1986:626810 HCPLUS

DN 105:226810

ED Entered STN: 26 Dec 1986

TI New perfluoroalkylphosphonic and bis(perfluoroalkyl)phosphinic acids and their precursors

AU Mahmood, Tariq; Shreeve, Jean'ne M.


CS Dep. Chem., Univ. Idaho, Moscow, ID, 83843, USA

SO Inorganic Chemistry (1986), 25(18), 3128-31

CODEN: INOCAJ; ISSN: 0020-1669

DT Journal

LA English
 CC 29-7 (Organometallic and Organometalloidal Compounds)
 OS CASREACT 105:226810
 GI



AB Some new routes to the previously known acids $R_2P(O)OH$ and $RP(O)(OH)_2$ ($R = CF_3, C_4F_9$) as well as to the new acids $(C_2F_5)_2P(O)OH$ and $C_2F_5P(O)(OH)_2$ are reported. In addition, several mixed chloro(perfluoroalkyl)phosphorus(III) and -(V) compds. were synthesized as reaction precursors, including $(C_2F_5)_2PCl_3$, $C_2F_5PCl_4$, $(C_2F_5)_2PCl$, $C_2F_5PCl_2$, $(C_2F_5)_2P(O)Cl$, and $C_2F_5P(O)Cl_2$. Under certain conditions, when chlorophosphines are oxidized with excess NO_2 , acid anhydrides result, e.g., $(C_2F_5)_2P(O)OP(O)(C_2F_5)_2$ and cyclic anhydride I ($R = C_2F_5$).

ST fluoroalkylphosphonic acid; fluoroalkylphosphinic acid; phosphonic acid
 fluoroalkyl; phosphinic acid fluoroalkyl; cyclic phosphorus anhydride

IT 7782-50-5, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (chlorination by, of chlorophosphines)

IT 58431-34-8 91543-34-9
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (hydrolysis of)

IT 10102-44-0, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (oxidation by, of chlorophosphines)

IT 432-04-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (oxidation of)

IT 423-01-8P 52299-25-9P 103304-95-6P 103304-96-7P
 103304-97-8P 103304-99-0P 103305-00-6P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and hydrolysis of)

IT 17426-84-5P 35449-89-9P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and reaction of, with nitrogen dioxide)

IT 35449-86-6P 35449-87-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and reaction of, with silver chloride)

IT 374-09-4P 422-94-6P 52299-24-8P 103304-98-9P
 103305-01-7P 103321-11-5P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

IT 7783-90-6, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with iodophosphines)

IT 7723-14-0, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with pentafluoroethyl iodide)


IT 354-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphorus)

IT 91543-34-9

RL: RCT (Reactant); RACT (Reactant or reagent)
(hydrolysis of)

RN 91543-34-9 HCAPLUS

CN Phosphorane, difluorotris(nonafluorobutyl)- (9CI) (CA INDEX NAME)




IT 52299-25-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and hydrolysis of)

RN 52299-25-9 HCAPLUS

CN Phosphinic acid, bis(nonafluorobutyl)- (9CI) (CA INDEX NAME)




IT 374-09-4P 422-94-6P 52299-24-8P

103305-01-7P 103321-11-5P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 374-09-4 HCAPLUS

CN Phosphinic acid, (trifluoromethyl)- (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 422-94-6 HCAPLUS

CN Phosphinic acid, bis(trifluoromethyl)- (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)




RN 52299-24-8 HCAPLUS

CN Phosphinic acid, (nonafluorobutyl)- (9CI) (CA INDEX NAME)




RN 103305-01-7 HCAPLUS

CN Phosphinic acid, (pentafluoroethyl)- (9CI) (CA INDEX NAME)



RN 103321-11-5 HCAPLUS
 CN Phosphinic acid, bis(pentafluoroethyl)- (9CI) (CA INDEX NAME)



=> => b casre
 FILE 'CASREACT' ENTERED AT 16:45:52 ON 26 APR 2006
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT: 1840 - 23 Apr 2006 VOL 144 ISS 17


New CAS Information Use Policies, enter HELP USAGETERMS for details.

 *
 * CASREACT now has more than 10 million reactions *
 *

Some CASREACT records are derived from the ZIC/VINITI database (1974-1991) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que sta 132
 L30 STR



VAR G1=F/8
 VAR G2=OH/8
 NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ELEVEL IS LIMITED
 GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS . 18

STEREO ATTRIBUTES: NONE

L32 3 SEA FILE=CASREACT SSS FUL L30 (16 REACTIONS)

100.0% DONE 10818 VERIFIED

16 HIT RXNS

3 DOCS

SEARCH TIME: 00.00.36

=> d bib abs crd retable 132 tot

L32 ANSWER 1 OF 3 CASREACT COPYRIGHT 2006 ACS on STN

AN 139:323660 CASREACT

TI Process for production of monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates and perfluoroalkylphosphonates by treatment of perfluoroalkylphosphoranes with bases

IN Ignatyev, Nikolai; Weiden, Michael; Welz-Biermann, Urs; Heider, Udo; Sartori, Peter; Kucheryna, Andriy; Willner, Helge

PA Merck Patent G.m.b.H., Germany

SO PCT Int. Appl., 49 pp.

CODEN: PIXXD2

DT Patent


LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2003087111	A1	20031023	2003WO-EP02744	20030317
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	DE--10220547	A1	20031106	2002DE-1020547	20020508
	CA--2482657	AA	20031023	2003CA-2482657	20030317
	AU2003222764	A1	20031027	2003AU-0222764	20030317
	EP--1495036	A1	20050112	2003EP-0718689	20030317
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	BR2003009221	A	20050209	2003BR-0009221	20030317
	CN--1646545	A	20050727	2003CN-0808435	20030317
	JP2005522511	T2	20050728	2003JP-0584067	20030317
	US2005222411	A1	20051006	2004US-0511171	20041014
	ZA2004009161	A	20050531	2004ZA-0009161	20041111
PRAI	2002DE-1016995		20020416		
	2002DE-1020547		20020508		
	2003WO-EP02744		20030317		
OS	MARPAT	139:323660			
AB	Monohydro(perfluoro)alkanes, bis(perfluoroalkyl)phosphinates, and perfluoroalkylphosphonates, useful as ionic liqs., tensides, or phase-transfer catalysts (no data), are prepared by treating at least 1 perfluoroalkylphosphorane ($CnF2n+1$) $mPF5-m$ ($1 \leq n \leq 8$, preferably $1 \leq n \leq 4$; $m = 1-3$) with at least 1 base in a suitable reaction medium, preferably H_2O or a mixture of H_2O with ≥ 1 organic solvent such as alcs., preferably $MeOH$, $EtOH$ or $iso-PrOH$, or a mixture of at least 2 of these alcs. More specifically, monohydro(perfluoro)alkanes are prepared by treating at least 1 perfluoroalkylphosphorane with at least 1 base or organometallic compound in a suitable medium; bases may be organic or inorg., preferably alkali metal hydroxides such as $LiOH$, $LiOH \cdot H_2O$, $NaOH$ or KOH or alkaline earth hydroxides such as $Ba(OH)_2$, as $Ba(OH)_2 \cdot 8H_2O$ or $Ca(OH)_2$.				

Bis(perfluoroalkyl) phosphinates and perfluoroalkylphosphonates are prepared by reaction of ≥ 1 perfluoroalkylphosphorane with ≥ 1 base in a suitable medium so that in addition to the monohydro(perfluoro)alkanes the phosphinates and phosphonates are prepared either directly or after isolation by salt formation or by subsequent treatment with an acid, preferably H_2SO_4 , to give the corresponding phosphinic or phosphonic acids followed by neutralization, preferably with organic bases such as ammonium, phosphonium, sulfonium, pyridinium, pyridazinium, pyrimidinium, pyrazinium, imidazolium, pyrazolium, thiazolium, oxazolium or triazolium salts. In an example, treating 59.9 mmol $(C_2F_5)_3PF_2$ with 185.4 mmol KOH in 330 cm³ H₂O gave 92.8% gaseous C_2F_5H , along with, after workup, 93.2% $(C_2F_5)_2P(O)OK$.


RX(1) OF 16



K
93%

CON: STAGE(1) room temperature; room temperature \rightarrow -5 deg C;
15 minutes, -5 deg C; -5 deg C \rightarrow room temperature


RX(2) OF 16



K
63%

CON: STAGE(1) room temperature; room temperature \rightarrow 0 deg C;
3 minutes, 0 deg C; 0 deg C \rightarrow room temperature; 8 hours,
room temperature; 8 hours, reflux

RX(3) OF 16




2 K

79%


CON: STAGE(1) room temperature; room temperature -> 80 deg C;
20 minutes, 80 deg C; 2 hours, 150 deg C

RX(4) OF 16



CON: STAGE(1) room temperature; room temperature -> 80 deg C;
30 minutes, 80 deg C; 2 hours, 150 deg C

RX(5) OF 16





2 K

96%


CON: STAGE(1) room temperature; room temperature -> 70 deg C;
60 minutes, 70 deg C; 1 hour, 120 deg C

RX(6) OF 16



CON: STAGE(1) 1 hour, room temperature; 30 minutes, 80 deg C

RX(7) OF 16




Ba


59%

CON: STAGE(1) room temperature; room temperature \rightarrow 70 deg C;
30 minutes, 70 deg C; 2 hours, 150 deg C

RX(8) OF 16


CON: STAGE(1) room temperature; room temperature \rightarrow 80 deg C;
30 minutes, 80 deg C; 1 hour, 120 deg C

RX(13) OF 16



CON: STAGE(1) room temperature; room temperature \rightarrow -10 deg C;
15 minutes, -10 deg C; -10 deg C \rightarrow room temperature


RX(15) OF 16 - 2 STEPS



NOTE: 2) low pressure, distn.

CON: STEP(1.1) room temperature; room temperature \rightarrow -5 deg C;
15 minutes, -5 deg C; -5 deg C \rightarrow room temperature
STEP(2) 120 deg C, 400 Pa

RX(16) OF 16 - 2 STEPS



CON: STEP(1.1) room temperature; room temperature \rightarrow 70 deg C;
30 minutes, 70 deg C; 2 hours, 150 deg C
STEP(2) room temperature


RETABLE

Referenced Author (RAU)	Year (R PY)	VOL (R VL)	PG (R PG)	Referenced Work (RWK)	Referenced File
Bergman, E	1958	23	476	JOURNAL OF ORGANIC C	CAPLUS
Gosling, K	1968		1909	JOURNAL OF THE CHEMI	CAPLUS
Haszeldine, R	1953		3761	JOURNAL OF THE CHEMI	CAPLUS
Kovaleva, T	1990	59	2245	JOURNAL OF GENERAL C	CAPLUS
Mahmood, T	1986	25	3128	INORGANIC CHEMISTRY	CAPLUS
Pavlenko, N	1989	59	474	JOURNAL OF GENERAL C	

L32 ANSWER 2 OF 3 CASREACT COPYRIGHT 2006 ACS on STN
 AN 139:323659 CASREACT
 TI Simplified process for the production of bis(perfluoroalkyl)phosphinic acids and their salts by reaction of difluorotris- or trifluorobis(perfluoroalkyl)phosphoranes with hydrogen fluoride and subsequent heating
 IN Welz-Biermann, Urs; Ignatyev, Nikolai; Weiden, Michael; Heider, Udo; Kucheryna, Andriy; Willner, Helge; Sartori, Peter
 PA Merck Patent G.m.b.H., Germany
 SO PCT Int. Appl., 35 pp.
 CODEN: PIXXD2
 DT Patent
 LA German
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO2003087110	A1	20031023	2003WO-EP02740	20030317
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	DE--10216997	A1	20031030	2002DE-1016997	20020416
	CA--2482656	AA	20031023	2003CA-2482656	20030317
	AU2003218774	A1	20031027	2003AU-0218774	20030317
	EP--1495035	A1	20050112	2003EP-0712030	20030317
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	BR2003009222	A	20050209	2003BR-0009222	20030317
	CN--1646546	A	20050727	2003CN-0808491	20030317
	JP2005522510	T2	20050728	2003JP-0584066	20030317
	US2005256334	A1	20051117	2004US-0511157	20041014
	ZA2004009160	A	20050531	2004ZA-0009160	20041111
PRAI	2002DE-1016997		20020416		
	2003WO-EP02740		20030317		
OS	MARPAT	139:323659			
AB	Bis(perfluoroalkyl)phosphinic acids are prepared by reaction of at least one difluorotris(perfluoroalkyl)phosphorane or at least one trifluorobis(perfluoroalkyl)phosphorane ($C_nF_{2n+1}mPF_5-m$ ($1 \leq n \leq 8$, preferably $1 \leq n \leq 4$; $m = 2, 3$) with HF in a suitable reaction medium, preferably water or a water-based mixture, and then the reaction mixture is heated at room temperature-150°, preferably at 135-140° for 18-22 h. Salts of the bis(perfluoroalkyl)phosphinic acids, preferably partially or peralkylated ammonium, phosphonium, sulfonium, or (un)substituted pyridinium, pyridazinium, pyrimidinium, pyrazinium, imidazolium, pyrazolium, thiazolium, oxazolium and triazolium salts, are prepared by subsequent neutralization in presence of bases, preferably hydroxides, oxides, hydrides, amides, carbonates, phosphines or amines, and are useful as ionic liqs. or as phase-transfer catalysts or as tensides (no data). In an example, a mixture of 58.6 mmol HF as a 40% by weight solution in H ₂ O and 3.53 g H ₂ O (294 mmol H ₂ O total) is prepared and cooled with an ice bath before being treated with 58.7 mmol (C ₂ F ₅) ₃ PF ₂ and stirred 3 min, whereupon the mixture is stirred 15 min at room temperature, then heated at 135-140° at reflux for 14 h, treated with addnl. 4.83 g H ₂ O and heated 6 h at reflux to afford after workup 86.5% (C ₂ F ₅) ₂ P(O)OH; salts of the latter are prepared in nearly quant. yields by treatment with, e.g., Et ₄ NOH, K ₂ CO ₃ or 1,6-diaminohexane.				


RX(1) OF 3



NOTE: Heating at reflux 2nd stage

CON: STAGE(1) room temperature -> 0 deg C; 0 deg C; 3 minutes,
0 deg C; 15 minutes, room temperature; 14 hours,
135 - 140 deg C; 6 hours, 135 - 140 deg C


RX(2) OF 3



NOTE: Heating at reflux 2nd stage

CON: STAGE(1) room temperature -> 0 deg C; 10 minutes, 0 deg C;
20 minutes, room temperature; 11.5 hours, 135 - 140 deg C;
8.5 hours, 135 - 140 deg C

RX(3) OF 3



NOTE: Heating at reflux 2nd stage

CON: STAGE(1) room temperature -> 0 deg C; 10 minutes, 0 deg C;
15 hours, room temperature; 35 hours, 110 deg C

RETABLE

Referenced Author (RAU)	Year (R PY)	VOL (R VL)	PG (R PG)	Referenced Work (R WK)	Referenced File
Mahmood, T	1988	27	2913	INORGANIC CHEMISTRY	CAPLUS
Merck Patent Gmbh	2003			WO--03002579 A	CAPLUS
Pavlenko, N	1989	59	474	JOURNAL OF GENERAL C	
Ya, S	1976			SU---498311 T	CAPLUS
Yagupol, S	1984	54	692	JOURNAL OF GENERAL C	

L32 ANSWER 3 OF 3 CASREACT COPYRIGHT 2006 ACS on STN

AN 105:226810 CASREACT

TI New perfluoroalkylphosphonic and bis(perfluoroalkyl)phosphinic acids and
their precursors

AU Mahmood, Tariq; Shreeve, Jean'ne M.

CS Dep. Chem., Univ. Idaho, Moscow, ID, 83843, USA


SO Inorganic Chemistry (1986), 25(18), 3128-31

CODEN: INOCAJ; ISSN: 0020-1669

DT Journal


LA English

GI




AB Some new routes to the previously known acids $R_2P(O)OH$ and $RP(O)(OH)_2$ ($R = CF_3, C_4F_9$) as well as to the new acids $(C_2F_5)_2P(O)OH$ and $C_2F_5P(O)(OH)_2$ are reported. In addition, several mixed chloro(perfluoroalkyl)phosphorus(III) and -(V) compds. were synthesized as reaction precursors, including $(C_2F_5)_2PCl_3$, $C_2F_5PCl_4$, $(C_2F_5)_2PCl$, $C_2F_5PCl_2$, $(C_2F_5)_2P(O)Cl$, and $C_2F_5P(O)Cl_2$. Under certain conditions, when chlorophosphines are oxidized with excess NO_2 , acid anhydrides result, e.g., $(C_2F_5)_2P(O)OP(O)(C_2F_5)_2$ and cyclic anhydride I ($R = C_2F_5$).

RX(16) OF 48



NOTE: potentially very exothermic

RX(32) OF 48 - 2 STEPS



NOTE: 1) potentially very exothermic

=> d his

(FILE 'HOME' ENTERED AT 16:04:40 ON 26 APR 2006)

FILE 'HCAPLUS' ENTERED AT 16:04:48 ON 26 APR 2006

L1	1	US2005222411/PN OR (US2004-511171 OR DE2002-10220547 OR DE2002- E IGNATYEV N/AU
L2	33	E4-8 E WEIDEN M/AU
L3	87	E3-4, E7-8 E WELZ BIERMANN U/AU
L4	48	E3-4 E WELZ U/AU
L5	1	E3 E BIERMANN U/AU
L6	20	E3-5 E SARTORI P/AU
L7	261	E3-4, E12 E KUCHERYNA A/AU
L8	16	E3, E7-9 E WILLNER H/AU
L9	269	E3, E5

L10 32907 MERCK/CS, PA

FILE 'REGISTRY' ENTERED AT 16:10:58 ON 26 APR 2006

FILE 'HCAPLUS' ENTERED AT 16:11:02 ON 26 APR 2006

L11 TRA L1 1- RN : 36 TERMS

FILE 'REGISTRY' ENTERED AT 16:11:03 ON 26 APR 2006

L12 36 SEA L11

L13 21 L12 AND F/ELS

L14 STR

L15 11 L14

L16 338 L14 FULL

SAV TEM NWAO171F0/A L16

L17 STR

L18 50 L17

L19 60606 L17 FULL

FILE 'HCAPLUS' ENTERED AT 16:33:02 ON 26 APR 2006

L20 36954 L19

6 L20 AND L16 (L) PREP+NT/RL

L22 4 L21 AND L1-10

L23 2 L21 NOT L22

E PERFLUOROALK/CT

E E6+ALL

E E2

L24 3368 E3-4,E7-8

E E3+ALL

L25 30509 E7+OLD,NT

432 L20 AND L24-25

L27 7 L20 AND L24-25 (L) PREP+NT/RL

L28 0 L27 AND L1-10

L29 0 L27 AND L20 (L) RACT+NT/RL

FILE 'CASREACT' ENTERED AT 16:41:56 ON 26 APR 2006

L30 STR L17

L31 0 L30

L32 3 L30 FULL

=>